



# Presby Environmental, Inc.

The Next Generation of Wastewater Treatment Technology

143 Airport Rd., Whitefield, NH 03598

Tel: 800-473-5298 Fax: 603-837-9864

[www.PresbyEnvironmental.com](http://www.PresbyEnvironmental.com)

Project: \_\_\_\_\_ Date: \_\_\_\_\_

1) Daily Design Flow = \_\_\_\_\_ Bedrooms or GPD, Perc Rate = \_\_\_\_\_ MPI, Soil Class = \_\_\_\_\_

A) Presby Pipe Required from Table (below) = \_\_\_\_\_ ft

| Minimum AES Pipe Requirements |          |     |     |     |     |                 |                         |
|-------------------------------|----------|-----|-----|-----|-----|-----------------|-------------------------|
| Perc. Rate (MPI)              | Bedrooms |     |     |     |     | Additional Room | *Commercial per 100 GPD |
|                               | 2        | 3   | 4   | 5   | 6   |                 |                         |
| 1-60                          | 140      | 210 | 280 | 350 | 420 | 70              | 50                      |
| 61-90*                        | 160      | 240 | 320 | 400 | 480 | 80              | 85                      |

AES Pipe Required min. (ft.)

\*Note: 61-90 MPI beds limited to 500 GPD each

B) Daily Design Flow (if over 500) \_\_\_\_\_ GPD ÷ 500 = \_\_\_\_\_ Sections (round up to whole number)

Note: multiple beds required when flow is greater than 500 GPD for 61-90 MPI

C) Pipe Req'd (from 1A) \_\_\_\_\_ ft ÷ \_\_\_\_\_ Number of Sections = \_\_\_\_\_ ft / section min.

2) System Sand Bed Area (SSBA)

A) Long Term Acceptance Rate = \_\_\_\_\_ GPD/sq ft (1-60 MPI use Table B, 61-90 MPI use 0.25)

Table B: Long Term Acceptance Rate (1-60 MPI)

| Perc. Rate (MPI) | Soil Class I | Soil Class II | Soil Class III | Soil Class IV |
|------------------|--------------|---------------|----------------|---------------|
| ≤5               | 1.233        | 1.000         |                |               |
| 6                | 1.166        | 1.000         |                |               |
| 7                | 1.133        | 1.000         |                |               |
| 8                | 1.100        | 1.000         |                |               |
| 10               |              | 1.000         |                |               |
| 15               |              | 0.933         | 0.616          |               |
| 20               |              | 0.883         | 0.566          |               |
| 25               |              | 0.666         | 0.550          |               |
| 30               |              | 0.550         | 0.483          |               |
| 40               |              |               | 0.416          |               |
| 50               |              |               | 0.333          | 0.333         |
| 60               |              |               | 0.250          | 0.250         |

LTAR Maximum (GPD/sq. ft.)

When percolation rate is between those listed in Table B, the next slower rate shall be used for design purposes.



# Presby Environmental, Inc.

The Next Generation of Wastewater Treatment Technology

143 Airport Rd., Whitefield, NH 03598

Tel: 800-473-5298 Fax: 603-837-9864

[www.PresbyEnvironmental.com](http://www.PresbyEnvironmental.com)

B) System Sand Bed Area (SSBA) = \_\_\_\_\_ sq ft (1-60 MPI use Table C, 61-90 MPI use Table F)

**Table C: System Sand Bed Area Required Minimum (1 – 60 MPI)**

| LTAR<br>(GPD/sq.ft.)                 | Number of Bedrooms      |                         |                        |                        |                        | Additional<br>Bedroom<br>(110 GPD) | *Commercial<br>Per 100 GPD |
|--------------------------------------|-------------------------|-------------------------|------------------------|------------------------|------------------------|------------------------------------|----------------------------|
|                                      | 2 Bedrooms<br>(220 GPD) | 3 Bedrooms<br>(330 GPD) | 4 Bedroom<br>(440 GPD) | 5 Bedroom<br>(550 GPD) | 6 Bedroom<br>(660 GPD) |                                    |                            |
| 1.233                                | 400                     | 400                     | 400                    | 447                    | 536                    | 90                                 | 82                         |
| 1.166                                | 400                     | 400                     | 400                    | 472                    | 567                    | 95                                 | 86                         |
| 1.133                                | 400                     | 400                     | 400                    | 486                    | 583                    | 98                                 | 89                         |
| 1.100                                | 400                     | 400                     | 400                    | 500                    | 600                    | 100                                | 91                         |
| 1.000                                | 400                     | 400                     | 440                    | 550                    | 660                    | 110                                | 100                        |
| 0.933                                | 400                     | 400                     | 472                    | 590                    | 708                    | 118                                | 108                        |
| 0.883                                | 400                     | 400                     | 499                    | 623                    | 748                    | 125                                | 114                        |
| 0.666                                | 400                     | 496                     | 661                    | 826                    | 991                    | 166                                | 151                        |
| 0.616                                | 400                     | 536                     | 715                    | 893                    | 1,072                  | 179                                | 163                        |
| 0.566                                | 400                     | 584                     | 778                    | 972                    | 1,167                  | 195                                | 177                        |
| 0.550                                | 400                     | 600                     | 800                    | 1,000                  | 1,200                  | 200                                | 182                        |
| 0.483                                | 456                     | 684                     | 911                    | 1,139                  | 1,367                  | 228                                | 208                        |
| 0.416                                | 529                     | 794                     | 1,058                  | 1,323                  | 1,587                  | 265                                | 241                        |
| 0.333                                | 661                     | 991                     | 1,322                  | 1,652                  | 1,982                  | 331                                | 301                        |
| 0.250                                | 880                     | 1,320                   | 1,760                  | 2,200                  | 2,640                  | 440                                | 400                        |
| System Sand Bed Area Minimum (sq ft) |                         |                         |                        |                        |                        |                                    |                            |

**Table F: System Sand Bed Area (61-90 MPI)**

| Daily Design Flow       | System Sand Bed Area Min.(sq ft) |
|-------------------------|----------------------------------|
| 2 Bedrooms              | 880                              |
| 3 Bedrooms              | 1,320                            |
| 4 Bedrooms              | 1,760                            |
| Each Additional Bedroom | 440                              |
| Commercial per 100 GPD  | 400                              |

Note: Tables C and F already include the state approved bed size reduction

3) System Slope = \_\_\_\_\_ % (1-60 MPI = 25% max., 61-90 MPI systems per Table E requirements)

**Table E: Allowable System Slope (61-90 MPI)**

| Perc. Rate Range (MPI) | System Slope Max. (%) |
|------------------------|-----------------------|
| 61-70                  | 15                    |
| 71-80                  | 10                    |
| 81-90                  | 5                     |

4) Presby Pipe

A) Presby Pipe Row Length to be used = \_\_\_\_\_ ft (1-60 MPI 100 ft max., 61-90 MPI per Table G)

**Table G: Row Length Minimum (61-90 MPI)**

| Perc. Rate<br>Range (MPI) | Bedrooms |    |     |            | Commercial<br>per 100 GPD |
|---------------------------|----------|----|-----|------------|---------------------------|
|                           | 2        | 3  | 4   | Each Add'l |                           |
| 61-70                     | 60       | 70 | 80  | 10         | 35                        |
| 71-80                     | 70       | 80 | 90  | 10         | 40                        |
| 81-90                     | 80       | 90 | 100 | 10         | 45                        |
| Row Length Min. (ft.)     |          |    |     |            |                           |

B) Pipe Used ( $\geq 1A$ ) \_\_\_\_\_ ft  $\div$  Row Length \_\_\_\_\_ ft = \_\_\_\_\_ Rows  
(note: number of rows must be whole number when divided by number of serial sections required from 1C)

C) Row Length \_\_\_\_\_ ft + 2 ft = \_\_\_\_\_ ft = System Sand Bed Length (SSBL)

D) (<10% 1-60 MPI) SSBA 2B = \_\_\_\_\_ sq ft  $\div$  SSBL 4C \_\_\_\_\_ ft - 2 ft = \_\_\_\_\_ Pipe Layout Width min.

(>10% 1-60 MPI) SSBA 2B = \_\_\_\_\_ sq ft  $\div$  SSBL 4C \_\_\_\_\_ ft - 5 ft = \_\_\_\_\_ Pipe Layout Width min.



# Presby Environmental, Inc.

The Next Generation of Wastewater Treatment Technology

143 Airport Rd., Whitefield, NH 03598

Tel: 800-473-5298 Fax: 603-837-9864

[www.PresbyEnvironmental.com](http://www.PresbyEnvironmental.com)

E) Pipe Layout Width from Table D = \_\_\_\_\_ ft when using \_\_\_\_\_ ft Row Spacing

**Table D: Number of Rows and Pipe Layout Width**

| Length ft.                                      | Total Linear Feet of Enviro-Septic® |       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------------------------------------------------|-------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                                                 | 60                                  | 90    | 120   | 150   | 180   | 210   | 240   | 270   | 300   | 330   | 360   | 390   | 420   | 450   |
| 30                                              | 60                                  | 90    | 120   | 150   | 180   | 210   | 240   | 270   | 300   | 330   | 360   | 390   | 420   | 450   |
| 35                                              | 70                                  | 105   | 140   | 175   | 210   | 245   | 280   | 315   | 350   | 385   | 420   | 455   | 490   | 525   |
| 40                                              | 80                                  | 120   | 160   | 200   | 240   | 280   | 320   | 360   | 400   | 440   | 480   | 520   | 560   | 600   |
| 45                                              | 90                                  | 135   | 180   | 225   | 270   | 315   | 360   | 405   | 450   | 495   | 540   | 585   | 630   | 675   |
| 50                                              | 100                                 | 150   | 200   | 250   | 300   | 350   | 400   | 450   | 500   | 550   | 600   | 650   | 700   | 750   |
| 55                                              | 110                                 | 165   | 220   | 275   | 330   | 385   | 440   | 495   | 550   | 605   | 660   | 715   | 770   | 825   |
| 60                                              | 120                                 | 180   | 240   | 300   | 360   | 420   | 480   | 540   | 600   | 660   | 720   | 780   | 840   | 900   |
| 65                                              | 130                                 | 190   | 260   | 325   | 390   | 455   | 520   | 585   | 650   | 715   | 780   | 845   | 910   | 975   |
| 70                                              | 140                                 | 210   | 280   | 350   | 420   | 490   | 560   | 630   | 700   | 770   | 840   | 910   | 980   | 1050  |
| 75                                              | 150                                 | 225   | 300   | 375   | 450   | 525   | 600   | 675   | 750   | 825   | 900   | 975   | 1050  | 1125  |
| 80                                              | 160                                 | 240   | 320   | 400   | 480   | 560   | 640   | 720   | 800   | 880   | 960   | 1040  | 1120  | 1200  |
| 85                                              | 170                                 | 255   | 340   | 425   | 510   | 595   | 680   | 765   | 850   | 935   | 1020  | 1105  | 1190  | 1275  |
| 90                                              | 180                                 | 270   | 360   | 450   | 540   | 630   | 720   | 810   | 900   | 990   | 1080  | 1170  | 1260  | 1350  |
| 95                                              | 190                                 | 285   | 380   | 475   | 570   | 665   | 760   | 855   | 950   | 1045  | 1140  | 1235  | 1330  | 1425  |
| 100                                             | 200                                 | 300   | 400   | 500   | 600   | 700   | 800   | 900   | 1000  | 1100  | 1200  | 1300  | 1400  | 1500  |
| # of Rows Spacing                               | 2                                   | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    | 12    | 13    | 14    | 15    |
| 1.50                                            | 2.50                                | 4.00  | 5.50  | 7.00  | 8.50  | 10.00 | 11.50 | 13.00 | 14.50 | 16.00 | 17.50 | 19.00 | 20.50 | 22.00 |
| 1.75                                            | 2.75                                | 4.50  | 6.25  | 8.00  | 9.75  | 11.50 | 13.25 | 15.00 | 16.75 | 18.50 | 20.25 | 22.00 | 23.75 | 25.50 |
| 2.00                                            | 3.00                                | 5.00  | 7.00  | 9.00  | 11.00 | 13.00 | 15.00 | 17.00 | 19.00 | 21.00 | 23.00 | 25.00 | 27.00 | 29.00 |
| 2.25                                            | 3.25                                | 5.50  | 7.75  | 10.00 | 12.25 | 14.50 | 16.75 | 19.00 | 21.25 | 23.50 | 25.75 | 28.00 | 30.25 | 32.50 |
| 2.50                                            | 3.50                                | 6.00  | 8.50  | 11.00 | 13.50 | 16.00 | 18.50 | 21.00 | 23.50 | 26.00 | 28.50 | 31.00 | 33.50 | 36.00 |
| 2.75                                            | 3.75                                | 6.50  | 9.25  | 12.00 | 14.75 | 17.50 | 20.25 | 23.00 | 25.75 | 28.50 | 31.25 | 34.00 | 36.76 | 39.50 |
| 3.00                                            | 4.00                                | 7.00  | 10.00 | 13.00 | 16.00 | 19.00 | 22.00 | 25.00 | 28.00 | 31.00 | 34.00 | 37.00 | 40.00 | 43.00 |
| 3.25                                            | 4.25                                | 7.50  | 10.75 | 14.00 | 17.25 | 20.50 | 23.75 | 27.00 | 30.25 | 33.50 | 36.75 | 40.00 | 43.25 | 46.50 |
| 3.50                                            | 4.50                                | 8.00  | 11.50 | 15.00 | 18.50 | 22.00 | 25.50 | 29.00 | 32.50 | 36.00 | 39.50 | 43.00 | 46.50 | 50.00 |
| 3.75                                            | 4.75                                | 8.50  | 12.25 | 16.00 | 19.75 | 23.50 | 27.25 | 31.00 | 34.75 | 38.50 | 42.25 | 46.00 | 49.75 | 53.50 |
| 4.00                                            | 5.00                                | 9.00  | 13.00 | 17.00 | 21.00 | 25.00 | 29.00 | 33.00 | 37.00 | 41.00 | 45.00 | 49.00 | 53.00 | 57.00 |
| 4.25                                            | 5.25                                | 9.50  | 13.75 | 18.00 | 22.25 | 26.50 | 30.75 | 35.00 | 39.25 | 43.50 | 47.75 | 52.00 | 56.25 | 60.50 |
| 4.50                                            | 5.50                                | 10.00 | 14.50 | 19.00 | 23.50 | 28.00 | 32.50 | 37.00 | 41.50 | 46.00 | 50.50 | 55.00 | 59.50 | 64.00 |
| 4.75                                            | 5.75                                | 10.50 | 15.25 | 20.00 | 24.75 | 29.50 | 34.25 | 39.00 | 43.75 | 48.50 | 53.25 | 58.00 | 62.75 | 67.50 |
| 5.00                                            | 6.00                                | 11.00 | 16.00 | 21.00 | 26.00 | 31.00 | 36.00 | 41.00 | 46.00 | 51.00 | 56.00 | 61.00 | 66.00 | 71.00 |
| Pipe Layout Width ft. (outermost edges of rows) |                                     |       |       |       |       |       |       |       |       |       |       |       |       |       |

## 5) System Sand Bed Dimensions

### A) Calculate System Sand Bed Length (SSBL):

Row Length \_\_\_\_\_ ft + 2 ft = \_\_\_\_\_ ft System Sand Bed Length (SSBL)

### B) Calculate System Sand Bed Width (SSBW):

1) SSBA (from 2B) \_\_\_\_\_ sq ft ÷ \_\_\_\_\_ ft SSBL = \_\_\_\_\_ ft SSBW min.

2) Pipe Layout Width = \_\_\_\_\_ ft + 2 ft = \_\_\_\_\_ ft SSBW needed to cover all Presby Pipes

3) Beds >10% Slope: PLW = \_\_\_\_\_ ft + 5 = \_\_\_\_\_ ft SSBW with System Sand Extension

4) System Sand Bed Width used = \_\_\_\_\_ ft (B1, B2 or B3 above - whichever is larger)

### C) System Sand Bed Area Provided (SSBA):

SSBL (from A) = \_\_\_\_\_ ft x \_\_\_\_\_ ft SSBW (from B4) = \_\_\_\_\_ sq ft SSBA provided

Notes: \_\_\_\_\_

\_\_\_\_\_



# Presby Environmental, Inc.

*The Next Generation of Wastewater Treatment Technology*

---

143 Airport Rd., Whitefield, NH 03598

Tel: 800-473-5298 Fax: 603-837-9864

[www.PresbyEnvironmental.com](http://www.PresbyEnvironmental.com)

6) System Illustration (optional):